BULLETIN
FD6558

FARM MACHINERY STAYS ON THE JOB WITH . . . .

MARQUETTE®

WELDING EQUIPMENT *and* BATTERY CHARGERS

MARQUETTE MANUFACTURING CO., INC.
MARQUETTE
WELDING
EQUIPMENT
MINNEAPOLIS 14, MINNESOTA

NOW YOU CAN MAKE YOUR FARM SHOP COMPLETE

FOR THE FARM

MARQUETTE
Welding Accessories

Welding Goggles



Cool, Non Fogging, One Piece . . . smooth, durable plastic. Vents prevent fogging and are baffled to keep out light and foreign particles. **Tops in Comfort** . . . simply find the position that fits your face best, and lock. It's the most comfortable goggle on the market today.

50MM Federal Spec. Lens . . . shade five unless other shade specified. Complete with clear cover lens. Fit over all glasses.

Stock No. GW3465....$4.15

Grinding Goggles



For Complete Safety and Comfort . . . a one piece, clear, shatterproof plastic goggle with wide angle vision and complete front and side protection from sparks or flying metal.

Lightweight . . . weighs only 2½ ounces. All skin touching surfaces have super smooth rolled edges.

Covers Regular Glasses . . . has four vents for good ventilation. Simply find the position that fits your face best and lock. Tops in comfort.

Stock No. GW3466....$4.00

Welding & Grinding Goggle Lens

Welding Lens . . . 50MM Federal Specification . . . Highest quality, filters out all harmful infra-red and ultra violet rays from oxy-acetylene welding.

Stock No. GW3158 Shade 4 Lens, per pair...$1.40

Stock No. GW3159 Shade 5 Lens, per pair...$1.40

Stock No. GW3166—Welding Cover Lens, Spatterproof, per pair $0.45

Grinding Lens . . . Federal Spe. 50MM . . . Optically ground hardened safety lens.

Stock No. GW3269—Grinding Lens, per pair. $2.10

THREE FLINT LIGHTER

A heavy duty lighter with a big, hot spark. Has automatically rotating round file, and unique, easily replaceable flint holder that holds THREE flints . . . gives three times the life of ordinary single flint units. Saves having to carry extra flints.

Stock No. GW3471.....$0.70

Torch Lighter Flints

Three flint renewal for lighter above.

Stock No. GW3472.....$0.30

HEATING and WEED BURNING TORCHES

Use Low Cost Bottle Gas

(Skelgas, Philgas, Blaugas, Shellane, etc.)

- **Requires No Compressed Air**
- **Instant Lighting**
- **No Fumes, No Soot, No Smoke**
- **No Generating, No Pumping**

Fast, Safe, Simple . . . these low cost, versatile torches are handy and efficient . . . have wide application on hundreds of different jobs.

Ideal on Farms . . . for burning weeds, preparing seed beds, delousing poultry coops, starting trucks, tractors, thawing pipes, warming stock tanks, heating hog feed. For preheating castings prior to welding. For soldering and lead melting.

Heavy Duty Model . . . 400,000 BTU of clean, fume free heat. Complete with 2-inch Tip, 6 ft. Hose and Adaptor Valve.

Stock No. GW3430.... $23.30

Standard Model . . . 40,000 BTU of "blue-flame" heat. Complete with 1-inch Tip, 6 ft. Hose and Adaptor Valve.

Stock No. GW3431.... $19.50

Special Tips for Standard Torch

Complete Tip Assemblies . . . with built-in mixers and goosenecks.

Special Tip Size 1 . . . gives small needle point flame.

Stock No. GW3468.....$7.95

Special Tip Size 2 . . . gives a half inch medium point flame.

Stock No. GW3469.....$7.95

TIP CLEANER KITS



For Long Welding and Cutting Tip Life . . . keep them clean with these scientifically designed stainless steel reamers. Handy carrying case.

Standard Kit, 12 cleaners, drill sizes 49-75.

Stock No. GW3261.....$2.30

Jumbo Kit, 9 cleaners, drill sizes 30-48.

Stock No. GW3262.....$2.10

Learn More About Gas Welding "OXY-ACETYLENE WELDING and CUTTING



by Stuart Plumley and T. B. Jefferso

The leading trade school textbook this subject used by schools and colleg from coast to coast. Written in straigh forward, easy - to - understand languag with answers to everyday welding pro lems.

Stock No. GW3417 .....$8.7

Star-Jet
WELDING & CUTTING OUTFIT COMPLETE
$144.25

Star-Jet

For Farm and Ranch

WELDING AND CUTTING OUTFIT

A Full-sized, Low Cost, Complete Welding and Cutting Outfit

Marquette Star-Jet . . . "Big torch performance" at a reasonable cost. Designed to handle any of the wide range of welding and cutting jobs encountered in ranch and farm shops.

Costs Less Three Ways . . . low initial cost, low maintenance cost and low operating cost.

Welding, Heating . . . the versatile Star-Jet Welding Torch will do more work for YOU—welding ferrous and non-ferrous metals from 20 gauge up to over 1-inch in thickness. Use it for heating, bending, soldering, brazing. Always over 6,000° F. of working heat as you need it.

Cutting, Scarfing . . . the Star-Jet Cutting Assembly saves time—saves work. The size 1A4 tip included in the outfit cuts all steel up to 1½ inch, and the 2A4 tip will extend the cutting range to over 3½ thicknesses. Cut angles, channels, shafting—burn off rivet heads, "frozen" bolts, etc. Star-Jet Welding and Cutting Outfit complete.

Stock No. GW2-0-4.....$144.25

Size 2A4 Cutting Tip not included in outfit.

Stock No. GW3067.....$4.20

INCLUDES:

The Complete

STAR-JET

Welding and Cutting Outfit Includes:

Star-Jet Welding Torch Handle . . . features precision-ground stainless steel needle-valves, naval brass head, and "O"-Ring seal construction. GW2-1-9

Star-Jet Welding Tip Assemblies . . .

Size	Range	Stock No.
1	up to 1/16"	GW2-2-1
2	1/16" to 1/8"	GW2-2-2
3	1/8" to 3/16"	GW2-2-3
5	1/4" to 3/8"	GW2-2-5

(See chart for other tips)

Star-Jet (K1) Cutting Assembly . . . features forged head and body; stainless steel tubes; precision ground valve; special high temperature, high pressure valve seat; "O"-Ring seal construction. With 1A4 cutting tip. GW2-5-1

Single Stage Oxygen Welding and Cutting Regulator . . . with 200 and 3,000 lb. gauges. GW3088

Single Stage Acetylene Regulator . . . with 50 and 500 lb. gauges. GW3091

25 ft. Double Line Hose . . . 3/16 inch I.D. with connections. GW3527-6

Welding Goggles . . . 50MM Fed. Spec. Lens, shade 5. Cool, comfortable, non-fogging. GW3153

Torch Lighter . . . complete with one flint. GW3199

Tip Cleaner Kit . . . complete with metal case. Drill sizes 49 to 75. GW3261

Combination Wrench . . . for welding tips, cutting tips and hose connections. GW3203

GW2-1-9	$17.50
GW2-2-1	5.00
GW2-2-2	5.00
GW2-2-3	5.00
GW2-2-5	5.00
GW2-5-1	27.50
GW3088	29.75
GW3091	28.25
GW3527-6	13.20
GW3153	3.25
GW3199	.48
GW3261	2.30
GW3203	1.40



MARQUETTE

MODEL "P" BANTAM WELDING TORCH COMBINATION

A light-duty torch that features quality at a minimum cost

Small, Compact . . . Ideal for welding in close quarters. Exceptionally lightweight. The entire torch and tip weigh only 6½ ounces, yet it is ruggedly built.

Wide Range . . . The Bantam Torch Handle has a special built-in universal mixer. The four tips in the combination will weld from light gauge sheet metal up to 3/16-inch material.

Bantam Combination . . . Model P Bantam Torch Handle with built-in mixer and four welding tips size: 1B, 2B, 3B and 4B.

Stock No. GW3563-1 .....$15.35

MARQUETTE MANUFACTURING CO., Inc.

307 E. Hennepin Ave. Minneapolis 14, Minnesota

SPECIALLY DESIGNED FOR FARMS by the Makers of World Famous MARQUETTE INDUSTRIAL ARC WELDERS

ONLY $219.50

Fully Equipped . . . No Extras to Buy

Complete with 18 ft. No. 4 Welding Cable with Insulated Electrode Holder, 12 ft. No. 4 Ground Cable with Ground Clamp. 8½ ft. No. 10 Power Cable with Plug and Wall Receptacle, Helmet, Welding Electrode Assortment and "Guide to Better Welding."

Model 64C. Stock No. EW64C $239.50
(With Capacitor)

Model 64. Stock No. EW64 . . . $219.50
(Without Capacitor)

Repair It in Minutes—with a Marquette Farm Welder . . . it's quicker, and more dependable. Usually the broken part can be welded without even disassembling the machine . . . there's no time lost having to take the broken part into town, or sending for an expensive new replacement part.

Save Money by "Preventative Maintenance" . . . Repair, Reinforce and Build up worn and weakened parts before rush seasons. You can make worn parts "good as new" by building up or hardsurfacing. Ideal for plow points, disc harrows, clevices, etc. The weld metal is much harder and wear resistant than the original metal.

Build our Own Labor-Saving Devices . . . Hay Hoists, Manure Loaders, Conveyors, Trailers, Snow Plows, Tanks, Troughs, Feed Bins, Gates, etc. With typical American farmers' ingenuity, you can salvage old pipes, wheels and machine parts. With steel construction, welding eliminates much of the layout work, drilling, bolting and riveting.

ELECTRICAL SPECIFICATIONS

Model	64C	64
Welding Amperage	20-180 Amps.	20-180 Amps.
Electrode Range	1/16"-3/16"	1/16"-3/16"
Open Circuit Volts (Max.)	65 Volts	65 Volts
Cycle/Phase	60/Single	60/Single
Primary Volts	230 Volts	230 Volts
Power Factor	70%	56%
K.W.	5.64	5.64
H.P.	7.56	7.56
Arc Volts (Max.)	25 Volts	25 Volts
Secondary Amps.	20-180 Amps.	20-180 Amps.
% Duty Cycle	20%	20%
Shipping Weight	220 lbs.	212 lbs.

Simplified operation is yours with Marquette

Plug in Wall Receptacle
The 3-prong plug on the end of the power cable connects the welder to your 220 volt Hi-Line and grounds the machine.

Select Proper Heat Tap
Plug electrode cable into right heat tap. (See Amperage Chart on top of welder.) Plug ground cable into ground tap and connect ground clamp.



Select Welding Rod
Refer to chart in "Guide to Better Welding" for right type and size of welding rod. Place rod in electrode holder, snap on switch.

MARQUETTE MANUFACTURING CO., Inc.
307 E. Hennepin Ave. Minneapolis 14, Minnesota

MARQUETTE® farm welder

Here Is Your Answer to Trouble Free Farming!

Wide Welding Range . . . 20 to 180 Amperes. You can make quick, dependable welds on everything from light sheet metal water tanks and feed bins to tractors, cultivating and harvesting equipment, hay hoists, etc.

Make Your Own Repairs . . . and Save. Don't let repair bills eat up your hard earned profits.

Time Saved, Means Greater Profits . . . especially during busy planting, cultivating and harvesting seasons. Implement breakdowns can mean loss or damage to valuable crops. A Marquette Welder makes repairs in a matter of minutes.

LISTED UNDER REEXAMINATION SERVICE UL UNDERWRITERS' LABORATORIES, INC.

The Inside Story of Marquette Top Performance and Dependability
The Quality of Your Welder Determines the Quality of Your Welds

Internally-Fused Capacitor . . . for Complete Protection and Efficiency.

High Power Factor . . . Built to operate and give full performance on a regular R.E.A. 3KVA pole transformer.

Moisture Protected Transformer . . . Vacuum dipped in insulating varnish and oven baked to assure complete moisture protection.

Highest Grade Silicon Steel Transformer . . . Made of Highest Grade thin Silicon Steel laminations for top electrical efficiency.

Aluminum - Angle Transformer Mounting . . . Increases welder efficiency by reducing eddy current losses.



Air-Gap Reactor . . . delivers fast, smooth Power for "Instant-Arc" and easy arc striking. Provides additional arc stability for easily maintained arc.

Heavy-Duty Switch . . . special double-pole switch for arc welding service. Listed by Underwriters' Laboratories, Inc.

3/16-Inch Tough Vulcoid Insulating Panel.

Tapered Heat Taps . . . 20 to 180 Amperes. Each heat tap is calibrated to exact amperage. No guess work—just plug in to the correct Welding Heat Tap. Tapered Sockets give full 1 1/8 square inches of positive electrical and mechanical contact for welding and ground cable plugs.

Insulated Transformer Bolts . . . Bolts are insulated to reduce eddy current losses. This construction assures high transformer efficiency and long life.

Ground Tap Separately Mounted.

HERE IS WHY YOU CAN DEPEND ON MARQUETTE

Weatherproof Construction . . . Built for years of Farm Service. The entire transfer is vacuum dipped in insulating varnish, and thoroughly oven baked. Marquette Welders are built for years of trouble-free service.

Dependability—in Every Detail . . . These are the "Extras" that make Marquette Welders "Top-Quality". Even the smallest bolt, nut and washer is Cadmium or Zinc Plated to make it resistant to both corrosion and rust.

Top Performance . . . It's the "Extra" Quality throughout . . . the extra weatherproofing . . . the extra engineering effort . . . that gives you that Superb Marquette Welding Performance, with Instant Arc Striking and Smooth Arc Stability . . . for all 'round good welding performance.

FOR THE FARM

MARQUETTE
Arc Welding Accessories

DELUXE WELDING HELMET



Molded Helmet with Flip-Up Lens . . . a smooth, one-piece molded construction helmet for good appearance and excellent durability. Features all the regular conveniences, comfort and protection plus the Flip-Up Lens. Shpg. Wt. 2 lbs. 6 oz.

Stock No. WA2061-1 .....$11.95



STRONG, DURABLE FIBRE HELMET

A Lightweight, Low Cost Helmet . . . with full flared sides, top and bottom. Features strong fibre for longer service and greater durability. Adjustable "Off-On" headgear and spring lens clips. Shpg. Wt. 2 lbs. 6 oz.

Stock No. WA2059 .....$6.15

MARQUETTE WELDING HELMET LENS

Hi-Test . . . individually inspected, laboratory tested for dependability. Standard size 2"x4⅛". Shpg. Wt. 8 oz.

Shade No. HT10, Stock No. WA2067.....$2.05

Shade No. HT11, Stock No. WA2068.....$2.05

Best Yet Spatter-Proof Clear Cover Lens . . . standard size 2"x4⅛". Shpg. Wt. 8 oz.

Stock No. WA2075.....$0.25

MARQUETTE Arc Torch

Do More Jobs . . . with this versatile torch. Heat, Weld Aluminum, White Metal, Copper and other Non-Ferrous Metals.

Saves You Money . . . far cheaper than other methods. This Arc Torch handles jobs you never thought possible, except with gas, which means tremendous savings for you. Shpg. Wt. 8 lbs.

Stock No. WA2001...$29.00

Complete . . . with two 10 ft. Cables, Carbons and Adaptor Bushings.

NO. 7 FEATHERWEIGHT HOLDER 200 Ampere Capacity

Handles All Electrodes up to 3/16"

Light in weight . . . yet ruggedly built . . . to take all punishment of heavy-duty welding.

Sturdy, Non-Breakable . . . Molded asbestos jaw covers provides the highest degree of protection with minimum increase in size.

Fully Insulated . . . excellent for fast, close work. Small in size, and light in weight . . . only 7¾-inch in length.

Powerful Coaxial Springs . . . which provide a firm electrode grip. Designed for positive electrode grip and easy instantaneous release. Shpg. wt. 12-oz. Length 7¾ inches

Stock No. WA2110...$4.40

QUIK-TITE GROUND CLAMP

Streamlined in Appearance . . . and on the job. Features wide jaw openings and a broad flat base to make it easy to get under flat work.

Made of Special Copper Alloy . . . with high electrical conductivity and high arc-resistance.

WA2111. 200-amp. cap. Ship.wt. 12-oz. $2.35

MARQUETTE WELDING GLOVES

Low-Cost and Good Quality—Welder's Glove . . . roomy, soft and flexible for your added comfort. Made from genuine Pearl Chrome cowhide leather. All seams are "inside sewn" for longer wear. Heel and palm is double reinforced. 13½ inches long. Shpg. Wt. 1 lb. per pair.

Stock No. WA2103 ..$2.60

Combination WIRE BRUSH AND CHIPPING HAMMER

For Faster, Easier, More Efficient Weld Cleaning

Two in One . . . this Marquette Wire Brush and Chipping Hammer combination does the work of two cleaning tools. Do the entire weld cleaning job with one handy tool . . . and with just a twist of the wrist.

The Hand Forged Head . . . of this Chipping Head is made of tough enduro hardened alloyed tool steel for long life and hard service.

Quick Change Brush Holder . . . reverse, or replace brush in just 20 seconds. Shpg. Wt. 1 lb. 2 oz.

Stock No. WA2077 .....$3.45

All Parts Replaceable at a Low Cost

Wood Handle - Brush Holder Wire Brush - Retaining Pin Chisel Head, Hand - Forged Alloy Tool Steel (Specify parallel or cross bit.)

MARQUETTE MANUFACTURING CO., Inc.
307 E. Hennepin Ave. Minneapolis 14, Minnesota



WELDING ELECTRODES and GAS WELDING RODS

THERE'S A MARQUETTE ROD FOR EVERY JOB

PACKAGED IN ROD-PAKS FOR YOU

ALL PURPOSE MILD STEEL ELECTRODES

No. 130 Red Rod A.C. or D.C.

Marquette No. 130 Red-Rod is the only welding electrode of its kind . . . developed specifically to meet the needs of the repair and maintenance welder. Gives maximum strength and toughness consistently and dependably even where dirty, rusty metal must be welded in all positions under the most unfavorable conditions. Handles equally well on A.C. or D.C. machines.

Size	Price Per Rod-Pak	Price Per 1 Lb. Pak
5/64"x12"	5 lbs. $3.20	$0.65
3/32"x12"	5 lbs. 2.60	.53
1/8"x14"	5 lbs. 2.00	.41
5/32"x14"	10 lbs. 3.73	.41

SELF STARTING MILD STEEL ELECTRODES

No. 15 Presto-Arc A.C. or D.C.

New . . . self starting tip, stable arc and "automatic" action make this electrode easy to use on thin metals requiring low amperages. Makes a "professional" looking job. Weld has high strength and toughness to match parent metal. Self cleaning action.

Size	Price Per Rod-Pak	Price Per 1 Lb. Pak
5/64"x9"	5 lbs. $4.75	$1.00
3/32"x9"	5 lbs. 3.58	.75
1/8"x9"	5 lbs. 3.00	.60

SPECIAL ELECTRODE FOR CAST IRON

No. 99 Nicol Rod A.C. or D.C.

New . . . pure nickel rod with ferromolistic (powdered iron) coating easily welds all cast irons, welds dissimilar metals together. Weld deposit is soft ductile and high strength. No preheating or post heating necessary for machineable welds on grey cast iron, malleable or ductile irons. Improved arc characteristics on A.C. or D.C.

Size	Price Per Rod-Pak	Price Per 1 Lb. Pak
3/32"x16"	5 lbs. $12.80	$2.75
1/8"x16"	5 lbs. 12.30	$2.65

CUTTING ELECTRODE



No. 11 Arcut Rod A.C. or D.C.

Amazing electrode for cutting, gouging, beveling, scarfing and piercing. Readily cuts through all metals. Special heavy coating directs 7,000° F. heat with high arc velocity. Needs no oxygen, compressed air or special equipment.

Size	Price Per Rod-Pak	Price Per 1 Lb. Pak
3/32"x14"	5 lbs. $3.75	$0.80
1/8"x14"	5 lbs. 2.88	.65

HARD SURFACING ELECTRODES

No. 450 Hard-Rod A.C. or D.C.

High Alloy Steel deposit with excellent wear, abrasion and impact resistance. Deposit has 450-500 Brinell hardness as deposited, work hardens to 500-600 Brinell. Can be hot forged, heat treatment not required for maximum quality.

Size	Price Per Rod-Pak	Price Per 1 Lb. Pak
3/32"x14"	5 lbs. $4.63	$1.00
1/8"x14"	5 lbs. 4.28	.95



No. 550 Hard-Rod A.C. or D.C.

Hard surfacing alloy steel electrode. 550-575 Brinell as deposited, work hardens to 575-625 Brinell. Highly resistant to wear and severe abrasion, moderate resistance to impact. Easily hot forged to any desired shape. Reheat treating is unnecessary.

Size	Price Per Rod-Pak	Price Per 1 Lb. Pak
3/32"x14"	5 lbs. $4.81	$0.99
1/8x14"	5 lbs. 4.63	.95

MILD STEEL GAS WELDING ROD



No. 2 Copper Cote

Low Carbon steel, copper coated to resist rusting. Produces sound high quality welds of above average strength and ductility. All purpose rod for oxy-acetylene welding of mild and low alloy steels.

Size	Price Per Rod-Pak	Price Per 1 Lb. Pak
3/32"x36"	10 lbs. $4.00	$0.45
1/8"x36"	10 lbs. 3.67	.44
3/16"x36"	10 lbs. 3.58	.405

BRAZING OR BRONZE-WELDING ROD



No. 30 Bronz-Rod (Pat.)

Low Fuming . . . a Manganese Bronze of highest quality. It tins easily and produces sound bronze welds on steels and cast irons. It also fuses well with bronzes and all copper alloys.

Size	Price Per Rod-Pak	Price Per 1 Lb. Pak
3/32"x36"	5 lbs. $8.03	$1.70
1/8"x36"	5 lbs. 7.20	1.60
3/16"x36"	5 lbs. 6.59	1.40

MARQUETTE ROD HOD HANDY ELECTRODE CARRIER

Marquette Rod-Hod, Complete with Electrodes, is offered for less than the over-the-counter price of the electrodes alone!
Ten Sizes and Types of Marquette High Quality Electrodes in One Handy Container . . . over 30 pounds of rod . . . includes several sizes of No. 130 Red-Rod . . . plus all other needed special purpose electrodes.

Stock No. WA2097.....$18.50

ALL PURPOSE FLUX FOR TORCH BRAZING

No. 1 Brazing Flux for use with oxy-acetylene or Arc Torch when brazing ferrous metals. Also useful in welding bronze or copper alloys.

Stock No. GW3115.....1 lb. can $1.20

FOR THE FARM

MARQUETTE BATTERY CHARGERS

CHARGE 6 OR 12 VOLTS . . .
CHARGES FAST . . .
CHARGES SLOW . . .
AND
TRICKLE CHARGES 6 OR 12 VOLT BATTERIES



MARQUETTE'S MODEL 207 *All-Purpose* 6/12 VOLT Charger

Versatile . . . high quality all-purpose charger, ideal to meet the needs of farm and ranch. Recharge either 6 or 12 volt batteries for cars, trucks or tractors. Features dependable long-life Selenium Rectifier.

Specifications

Capacity: 6-Volt—20, 6 and 1 Amp. 12-Volt—12, 6 and 1 Amp. Input: 120 Volts, 3.2-2.6 Amps. 50/60 Cycle, Single Phase. Shpg. Wt. 18 lbs.

Stock No. BC4207.....$57.50

MARQUETTE *Redi-Fast* 6/12 VOLT CHARGER

High Quality—at a Low Price . . . Increased Production caused by popular demand has reduced the unit cost, to give you a better buy.

Redi-Fast Pays for Itself . . . No time lost from starting failures due to low batteries. The ideal charger for the farm. Use for: 6/12 Volt Fast Charging, 6/12 Volt Battery Boosting, 6/12 Volt Slow Charging.

Capacity: 6-Volt, 10-70 Amps. 12-Volt, 10-45 Amps.

BC4212. Ship. wt. 48 lbs...$129.50

REDI-FAST

High Quality Component Parts

- **OHMITE,** Charging Rate Control Switch. 6/12 Volt, 7 Position.
- **GENERAL ELECTRIC,** Sealed-in-Oil Fan Motor.
- **SARKES-TARZIAN** Selenium Rectifiers (Two matching, Full-Wave).
- **EMICO,** Charging Rate Meter.
- **LUX,** Automatic Time Switch.
- **MARQUETTE,** Heavy-Duty Transformer Vacuum Impregnated with DuPont Insulating Varnish and Baked.
- **KLIXON,** Automatic Circuit Breaker.

HANDI-CART for Redi-Fast Chargers

Marquette's New Snap-on Handi-Cart for Model 212 Redi-Fast Chargers.

BC4037 .....$14.95



SLOW CHARGER

Slow Charge 6-Volt, 12-Volt and 24-Volt Batteries . . . at any rate up to 6 Amps.! **Marquette's New Charger Design** . . . featuring the Long-Life Sarkes Tarzian Selenium Rectifier and the Dependable Ohmite Charging Rate Controls.

Input: 115-Volt, 50-60 Cycle. Shipping weight 30 lbs.

Stock No. BC4204.....$92.75

BOOSTER CABLES

A Real Time Saver . . . for those emergency car startings. Set of Two Booster Cables and Heavy-Duty Battery Clamps. Shpg. Wt. 7 lbs.

Stock No. BC4036.....$11.55

Form 8122

LITHO IN U. S. A., MIDWEST LITHO CO., MINNEAPOLIS, MINN.